

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 MAY 2001 / FOR PERIOD 15 APR 2001 TO 30 APR 2001 / VOL. 8/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents are available after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-P-70550(2)	PELLET, RED PHOSPHORUS, FOR MORTAR CARTRIDGE 81MM SMOKE, RP, M819[CUST: AR]	A	1370		AR	12-MAR-01
M MIL-F-70807A(3)	FUZE, PD, M745 (LESS BOOSTER AND LEAD)[CUST: AR]	A	1390		AR	28-MAR-01
M MIL-C-18757/4C NOT 2	CARTRIDGE CASE, STEEL, 5-INCH, MARK 9 MODS 0 AND 1 (54 CALIBER)[CUST: OS]	A	1395		OS	19-APR-01
M BB-E-2879A	EXTINGUISHER, FIRE, CARBON DIOXIDE (CO2), PORTABLE, WITH MOUNTING BRACKET, FOR AVIATION USE[CUST: AV AS] [REVIEW: CC]	A	4210	/	AS	06-APR-01
M QPL-960-26	TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD	A	4730		SH	22-MAR-01
N NASM21056	NUT, SELF-LOCKING, PLATE, CORNER, LOW-HEIGHT, CRES, 125 KSI FTU 450 DEG. AND 800 DEG. F (ASG)[CUST: AR AS 11 IS]	A	5310		IS	01-DEC-99
M MIL-F-25173A(2) NOT 2	FASTENER, CONTROL PANEL, AIRCRAFT EQUIPMENT[CUST: AS IS]	A	5325		IS	10-APR-01
M A-A-55618B	CASTER, SWIVEL, KINGPINLESS INDUSTRIAL, HEAVY DUTY WITH TOWING APPLICATION[CUST: AS 99 IS] [REVIEW: 71]	A	5340	/	IS	02-APR-01
M QPL-22262-23	ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING	A	5350		SH	23-MAR-01
M A-A-55088A	RESISTORS, FLAMEPROOF, FUSIBLE[CUST: EC CC]	A	5905	/	CC	28-MAR-01
M QPL-39017-76	RESISTORS, FIXED, FILM (INSULATED) NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CR	17-APR-01
M MIL-PRF-19207/1H	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL10U AND FHL10G[CUST: CR SH 11 CC] [REVIEW: 19 70 71 84 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-19207/2G	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL11U AND FHL11G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-19207/5J	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL14G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-19207/7L	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL16G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-19207/8F	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL17G1 AND FHL17G2[CUST: CR SH 11 CC] [REVIEW: 19 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-19207/18H	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL29G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-19207/20D	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN31G1 AND FHN31G2[CUST: CR SH 11 CC] [REVIEW: 19 AS CE MC MI]	A	5920		CC	30-APR-01
M MIL-PRF-19207/26G	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN42W[CUST: CR SH 11 CC] [REVIEW: 19 AR AS AV CE CG CR4 MC MI]	A	5920		CC	30-APR-01
M MIL-PRF-19207/36C	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, R. F. SHIELDED TYPE FHN55W[CUST: SH CC]	A	5920		CC	30-APR-01
M MIL-PRF-19207/38C	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL57G[CUST: CR SH 11 CC] [REVIEW: 70 71 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	30-APR-01
M MIL-PRF-23419/9B(3)	FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM09, (NONINDICATING)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI NS OS SH]	A	5920		CC	10-APR-01
M MIL-D-9129E	DISCHARGES, ELECTROSTATIC GENERAL SPECIFICATION FOR[CUST: CR AS 11 CC] [REVIEW: 19 99 CE MC MI]	A	5920		CC	12-APR-01
M W-F-1814/47A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 601-800 AMPERES[CUST: CR 11 CC] [REVIEW: 99 AR AT OS]	A	5920	/	CC	30-APR-01
M W-F-1814/48A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 801-1200 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AR AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/49A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1201-1600 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AR AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/50A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1601-2000 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/51A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2001-2500 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/52A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2501-3000 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AR AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/53A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 3001-4000 AMPERES[CUST: CR YD 11 CC] [REVIEW: AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/54A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 4001-5000 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AR AT NS OS]	A	5920	/	CC	30-APR-01
M W-F-1814/55A NOT 2	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 5001-6000 AMPERES[CUST: CR YD 11 CC] [REVIEW: 80 AR AT NS OS]	A	5920	/	CC	30-APR-01
M MIL-P-23928/3A NOT 3	PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A101 AND NQB-A101 CIRCUIT BREAKER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT[CUST: SH CC]	A	5925		CC	30-MAR-01
M MIL-DTL-27715A	CIRCUIT BREAKER, TRIP-FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR[CUST: 11 CC] [REVIEW: 99 MI]	A	5925		CC	05-APR-01
M A-A-55458B	INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, 15-AMPERE[CUST: CC]	A	5925	/	CC	27-APR-01
M A-A-55460B	INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, HOSPITAL GRADE, 15-AMPERE[CUST: EC CC]	A	5925	/	CC	27-APR-01
M A-A-55461B	INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, HOSPITAL GRADE, 20-AMPERE[CUST: EC CC]	A	5925	/	CC	27-APR-01
M W-C-375/1A NOT 1	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THROUGH 70 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/2A NOT 1	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 125 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/3B NOT 1	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/5A NOT 1	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 50 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS SH]	A	5925	/	CC	30-APR-01
M W-C-375/6B NOT 1	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 125 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS SH]	A	5925	/	CC	30-APR-01
M W-C-375/10A NOT 2	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/11A NOT 2	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/12A NOT 2	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/14 NOT 2	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THRU 125 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/15 NOT 2	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THRU 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	30-APR-01

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M W-C-375/16A NOT 1	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 80 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/17A NOT 1	CIRCUIT BREAKERS, MOLDED CASES, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 80 MC OS]	A	5925	/	CC	30-APR-01
M W-C-375/18A NOT 1	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES)[CUST: YD 11 CC] [REVIEW: 80 MC OS]	A	5925	/	CC	30-APR-01
M MIL-PRF-22885/87C	SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, SOLID MOUNT, MODULAR CONSTRUCTED, HIGH IMPACT SHOCK[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV CR4 MC OS SH]	A	5930		CC	01-MAR-01
M MIL-PRF-22885/109B	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE HOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION[CUST: 11 CC]	A	5930		CC	18-APR-01
M MIL-PRF-24236/1K(1)	SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES, AND LOW LEVEL[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5930		CC	18-APR-01
M W-S-896F(1)	SWITCHES, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION)[CUST: AT YD 11 CC]	A	5930	/	CC	18-APR-01
M W-S-896/2E	SWITCHES, TOGGLE AND LOCK, FLUSH MOUNTED (AC) (DETAIL SPECIFICATION)[CUST: CR YD 11 CC]	A	5930	/	CC	18-APR-01
M MIL-PRF-12883/52A(1)	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, SOCKET ASSEMBLY FOR RELAYS, 2, 3, AND 4-POLE (MIL-PRF-6106, MIL-PRF-83536, AND MIL-PRF-83726)[CUST: CR EC 11 CC] [REVIEW: 99 MI]	A	5935		CC	12-FEB-01
M QPL-24308-94	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR	A	5935		CC	17-APR-01
M QPL-26482-81	CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A	5935		CC	24-APR-01
M MIL-PRF-6106/12E	RELAY, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH, 25 AMPERES, 3PNO MAIN CONTACTS, WITH 2 AMPERE 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED[CUST: 11 CC] [REVIEW: 99]	A	5945		CC	23-APR-01
M MIL-PRF-6106/13E(1)	RELAY, ELECTROMAGNETIC, 25 AMPERE, 3PST, NO. WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE, TYPE I[CUST: 11 CC] [REVIEW: 99]	A	5945		CC	23-APR-01
M MIL-PRF-19500/156K(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL, VOLTAGE-REFERENCE TYPES 1N935B-1, 1N937B-1, 1N938B-1, 1N939B-1, AND 1N940B-1, 1N935BUR-1, 1N937BUR-1, 1N938BUR-1, 1N939BUR-1 AND 1N940BUR-1, JAN, JANTX, JANTXV, JANJ, AND JANS; RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR AS CG MC SM]	A	5961		CC	12-APR-01
M MIL-PRF-19500/253G	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N930 AND 2N930UB JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR NW 11 CC NA] [REVIEW: 13 99 AR AS AV MI SM]	A	5961		CC	23-APR-01
M MIL-PRF-19500/354G	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N2604, 2N2604UB, 2N2605 AND 2N2605UB JAN, JANTX, JANTXV, AND JANS, JANHC, JANKC[CUST: CR NW 11 CC NA] [REVIEW: 19 AR AS AV CG MC MI]	A	5961		CC	23-APR-01
M MIL-PRF-19500/382C(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N2944A, 2N2945A, AND 2N2946A JAN, JANTX, JANTXV, AND JANS[CUST: CR NW 11 CC NA] [REVIEW: 19 AV]	A	5961		CC	19-APR-01
M MIL-PRF-19500/385D	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N4856 THROUGH 2N4861 JAN, JANTX, JANTXV, AND JANS, AND UB[CUST: CR NW 11 CC] [REVIEW: 99]	A	5961		CC	12-APR-01
M MIL-PRF-19500/394F	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES: 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, AND 2N5238S JAN, JANTX, JANTXV, JANS, JANHC AND JANKC[CUST: CR NW 11 CC] [REVIEW: 19 99 MI SM]	A	5961		CC	23-APR-01
N MIL-PRF-19500/687	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPES 2N7509, 2N7510, AND 2N7511 JANTXVD, R AND JANSJ, R[CUST: CR EC 11 CC NA]	A	5961		CC	14-MAR-01
N SAE-AMS-I-23053/2	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE CROSSLINKED AND NON-CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: 99 EA EC MI]	A	5970		AS	28-MAR-01
N SAE-AMS-I-23053/3	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED[CUST: CR AS 11 GS] [REVIEW: AR EA EC MI]	A	5970		AS	28-MAR-01
M MIL-A-82654(1) NOT 2	ALUMINUM POWDER, ATOMIZED, TECHNICAL[CUST: OS] [REVIEW: AS]	A	6810		OS	11-APR-01
M MIL-A-82667/2(3) NOT 2	AMMONIUM PERCHLORATE, CONDITIONED[CUST: OS]	A	6810		OS	11-APR-01
M QPL-24667-17	COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC)	A	8010		SH	29-MAR-01
M MIL-C-450C NOT 2	COATING-COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION)[CUST: AR OS 99] [REVIEW: 84 AS MR]	A	8030		OS	28-MAR-01
M MIL-C-3301C(2) NOT 2	COMPOUND, ASPHALTIC, HOT MELT (CAVITY LINING)[CUST: AR OS 99] [REVIEW: 84 AS MR]	A	8030		OS	28-MAR-01
M MIL-C-82633 NOT 2	COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD)[CUST: OS] [REVIEW: 99]	A	8030		OS	28-MAR-01
M A-A-59109B	ADHESIVE, EPOXY RESIN BASE[CUST: MI]	A	8040	/	MI	16-APR-01
M MIL-B-82647A NOT 2	BAG, CONDUCTIVE PLASTIC, HEAT-SEALABLE, FLEXIBLE[CUST: OS]	A	8105		OS	19-APR-01
M MIL-P-82646A NOT 2	PLASTIC FILM, CONDUCTIVE, HEAT-SEALABLE, FLEXIBLE[CUST: OS]	A	8135		OS	19-APR-01
M MIL-C-2439E(7)	CONTAINER, AMMUNITION, FIBER, SPIRALLY WOUND[CUST: AR]	A	8140		AR	26-MAR-01
N A-A-20325	FISH NUGGETS, PORTIONS, STICKS, STRIPS, BITE-SIZE PIECES, OVEN-READY, BREADED AND/OR BATTERED, FROZEN[CUST: GL SA 35] [REVIEW: MC MD QM SS]	A	8905	*	FV	12-MAR-01
M A-A-20042B	BEAN SPROUTS, CANNED[CUST: GL SA 35] [REVIEW: MC MD QM]	A	8915	*	FV	12-MAR-01
N A-A-59685	GREASE, SEALED BALL AND ROLLER BEARING[CUST: AT SH 68 PS] [REVIEW: 03 11 AS GS GS3 MI SA]	A	9150	/	SH	12-APR-01
M QPL-15606-51	BRICKS, REFRACTORY, AND BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY	A	9350		SH	23-MAR-01
M QPL-15842-52	MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING)	A	9350		SH	26-MAR-01
M MIL-S-82858 NOT 2	SILICONE DIOXIDE, MICROFINE[CUST: OS]	A	9620		OS	11-APR-01
M MIL-HDBK-1798(1)	MECHANICAL EQUIPMENT AND SUBSYSTEMS INTEGRITY PROGRAM[CUST: 11]	A	SESS		11	17-APR-01
M MIL-PRF-38384D NOT 1	TECHNICAL MANUALS - CHECKLISTS AND SOURCE DATA PACKAGES, AIRCRAFT WEAPON DELIVERY[CUST: 16] [REVIEW: 01 10 11 70 71 80 82 99]	A	TMSS		16	06-APR-01

INACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MS33788 NOT 2	LIQUID SPRING UNDERCARRIAGE UNIT - OIL REPLENISHMENT CONNECTION FOR[CUST: AV AS GS1] [REVIEW: SA]	A	1620		GS1	27-FEB-01
M WW-T-700F(1) NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 GENERAL SPECIFICATION FOR[CUST: MR AS 11 CC] [REVIEW: AR CR4 EA MC MI OS SH]	A	4710	/	AS	19-APR-01
M WW-T-700/1E NOT 1	TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100[CUST: MR AS 11 CC] [REVIEW: AR MC MI OS SH]	A	4710	/	AS	19-APR-01
M WW-T-700/2E NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH]	A	4710	/	AS	19-APR-01
M WW-T-700/3F(1) NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 2024[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710	/	AS	19-APR-01
M WW-T-700/4F(1) NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS SH]	A	4710	/	AS	19-APR-01
M WW-T-700/5E NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086[CUST: MR AS 11 CC] [REVIEW: AR EA MC MI OS]	A	4710	/	AS	19-APR-01
M WW-T-700/6F(2) NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061[CUST: MR AS 11 CC] [REVIEW: AR CR4 EA MC OS SH]	A	4710	/	AS	19-APR-01
M WW-T-700/7B NOT 1	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075[CUST: MR AS 11 CC] [REVIEW: 99 AR CR4 MC MI OS]	A	4710	/	AS	19-APR-01
M MIL-V-19067A(1) NOT 2	VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS[CUST: AV AS 99] [REVIEW: CC MC SA]	A	4820		AS	21-MAR-01
M GGG-H-575(1) NOT 1	HOLDER, SHEET METAL, HOLE AND EDGE GRIP[CUST: AS]	A	5120	/	AS	19-APR-01
M MIL-PRF-15160/28B	FUSES, STYLE F28[CUST: CR SH 11 CC] [REVIEW: 99]	A	5920		CC	16-MAR-01
M MIL-PRF-19207/10D	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN19G AND FHN19W[CUST: CR SH 11 CC] [REVIEW: 19 AS CE EC MC MI]	A	5920		CC	30-APR-01
M QPL-26518-13	CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEG. C AMBIENT TEMPERATURE	A	5935		CC	17-APR-01
M MIL-E-1/1097G(1) NOT 3	ELECTRON TUBE, RECEIVING TYPE 12A7WC[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CG MC MI OS SH]	A	5960		CC	13-APR-01
M MIL-M-38510/156B NOT 1	MICROCIRCUITS, DIGITAL, TTL, DATA ENCODERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	13-APR-01
M MIL-M-38510/160A NOT 2	MICROCIRCUITS, DIGITAL, TTL, ADDRESSABLE LATCHES, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	16-APR-01
M MIL-M-38510/162A NOT 1	MICROCIRCUITS, DIGITAL, TTL, NOR BUFFERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	16-APR-01
M MIL-M-38510/190C NOT 2	MICROCIRCUITS, LINEAR, CMOS/ANALOG MULTIPLEXERS/DEMULTIPLEXERS WITH OVERVOLTAGE PROTECTION, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	16-APR-01
M MIL-M-38510/201C NOT 1	MICROCIRCUITS, DIGITAL, 512 BIT, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	16-APR-01
M MIL-M-38510/202B NOT 1	MICROCIRCUITS, DIGITAL, 1024 BIT BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (P-ROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	16-APR-01
M MIL-M-38510/203C NOT 2	MICROCIRCUITS, DIGITAL, 1024 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/204D NOT 2	MICROCIRCUIT, DIGITAL, 2048-BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/207B(1) NOT 2	MICROCIRCUITS, DIGITAL, 256 BIT, SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/208C NOT 3	MICROCIRCUITS, DIGITAL, 4096-BIT SCHOTTKY BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/209D(1) NOT 2	MICROCIRCUITS, DIGITAL, 8192-BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/210D NOT 2	MICROCIRCUITS, DIGITAL, 16,384 BIT SCHOTTKY BIPOLAR PROGRAMMABLE READY-ONLY MEMORY (PROM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/211 NOT 2	MICROCIRCUITS, DIGITAL, 32,768 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/212 NOT 2	MICROCIRCUITS, DIGITAL, 65,536 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	24-APR-01
M MIL-M-38510/221A NOT 3	MICROCIRCUITS, DIGITAL, 16,384 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON[CUST: 11 CC] [REVIEW: 03 19 99]	A	5962		CC	24-APR-01
M MIL-M-38510/222A NOT 3	MICROCIRCUIT, DIGITAL, 32,768 BIT MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON[CUST: 11 CC] [REVIEW: 03 19 99]	A	5962		CC	24-APR-01
M MIL-M-38510/224(2) NOT 2	MICROCIRCUITS, MEMORY, DIGITAL, MOS, 32K X 8, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/227 NOT 2	MICROCIRCUITS, DIGITAL, NMOS, 16,384 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/228 NOT 2	MICROCIRCUITS, DIGITAL, NMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/230A NOT 2	MICROCIRCUIT, DIGITAL, BIPOLAR 256 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/231B(3) NOT 2	MICROCIRCUIT, DIGITAL, SCHOTTKY TTL, 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AR AS CG MC MI OS SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/238A(3) NOT 2	MICROCIRCUITS, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/240A NOT 2	MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 16,384 BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/244B(2) NOT 2	MICROCIRCUITS, DIGITAL, NMOS, 65,536 BIT, DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON[CUST: 11 CC] [REVIEW: 03 19 99]	A	5962		CC	26-APR-01
M MIL-M-38510/245A(2) NOT 2	MICROCIRCUITS MEMORY, DIGITAL, CMOS, 4096 BIT, STATIC RANDOM ACCESS MEMORY (SRAM), BULK SILICON AND SILICON ON SAPPHIRE[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M MIL-M-38510/246(1) NOT 2	MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 246,144-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-APR-01
M QPL-49055-20	CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR	A	6145		CC	19-APR-01
M MIL-C-29184B SUP 1 NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, GENERAL SPECIFICATION FOR[CUST: CR4 MC 99] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01

INACTIVE SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-C-29184/1B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE I, CLASS 1, 350 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/3B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 60 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/4B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 30 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/5B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 20 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/7B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/8B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/9B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/10B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/11B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 30 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/12B NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 20 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	MIL-C-29184/16A NOT 2	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 40 AMPERE[CUST: CR4 MC 99 GS2] [REVIEW: 80 MS]	A	6150		GS2	16-APR-01
M	L-F-315C NOT 1	FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS)[CUST: CR AS 99] [REVIEW: 16 70]	A	6750	/	AS	19-APR-01
M	O-W-221C NOT 2	WETTING AGENT, LIQUID, PHOTOGRAPHIC GRADE[CUST: CR AS 99 GS] [REVIEW: 70]	A	6750	/	AS	19-APR-01
M	GG-P-455B(3) NOT 3	PLATES AND FOILS, PHOTOGRAPHIC (PHOTOSENSITIVE ANODIZED ALUMINUM)[CUST: MR AS 11] [REVIEW: 70 CR SH]	A	6750	/	AS	19-APR-01
M	TT-N-95B(1) NOT 2	NAPHTHA; ALIPHATIC[CUST: AR AS 68] [REVIEW: DS MC OS SH]	A	6810	/	AS	19-APR-01
M	TT-N-97C NOT 2	NAPHTHA; AROMATIC[CUST: MI AS 68 GS] [REVIEW: MC OS]	A	6810	/	AS	19-APR-01
M	TT-T-656C NOT 1	TRICRESYL PHOSPHATE[CUST: AS 68 GS] [REVIEW: OS SH]	A	6810	/	AS	19-APR-01
M	TT-I-735A(3) NOT 2	ISOPROPYL ALCOHOL[CUST: MI AS 68 GS] [REVIEW: DS EA]	A	6810	/	AS	19-APR-01
M	BB-A-1034B(1) NOT 2	COMPRESSED AIR, BREATHING[CUST: CR4 AS 68] [REVIEW: AR CG MD MI MS OS SH]	A	6830	/	AS	19-APR-01
M	O-D-1435B NOT 1	SANITIZER, PHENOLIC TYPE, CONCENTRATE[CUST: GL 68] [REVIEW: MD]	A	6840	/	GS3	13-APR-01
M	P-C-444B(1) NOT 1	CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING[CUST: AV AS 68 GS] [REVIEW: EA MS OS SM]	A	6850	/	AS	19-APR-01
M	QPL-P-C-444-14 NOT 1	CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING	A	6850	/	AS	19-APR-01
M	CCC-C-46D(2) NOT 2	CLOTH, CLEANING, NONWOVEN FABRIC[CUST: GL AS 99] [REVIEW: 84]	A	7920	/	AS	19-APR-01
M	P-P-560B(3) NOT 1	POLISH, PLASTIC[CUST: GL AS] [REVIEW: EA MD]	A	7930	/	AS	19-APR-01
M	P-W-2891 NOT 1	WIPE SOLVENTS, LOW VAPOR PRESSURE[CUST: AS 99] [REVIEW: 84]	A	7930	/	AS	19-APR-01
M	QPL-P-P-560-12 NOT 1	POLISH, PLASTIC	A	7930	/	AS	19-APR-01
M	TT-R-248B(1) NOT 1	REMOVER, PAINT AND LACQUER, SOLVENT TYPE[CUST: MR AS 99] [REVIEW: 11 84 MC]	A	8010	/	AS	19-APR-01
M	MMM-A-132B NOT 1	ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL, METAL TO METAL[CUST: MR AS 11] [REVIEW: AR CR4 MC MI NA OS]	A	8040	/	AS	19-APR-01
M	MMM-A-134(1) NOT 1	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING[CUST: MR AS 11] [REVIEW: AV CG GL MI OS]	A	8040	/	AS	19-APR-01
M	MMM-A-138B NOT 2	ADHESIVE, METAL TO WOOD, STRUCTURAL[CUST: MR AS 11] [REVIEW: CR MC]	A	8040	/	AS	19-APR-01
M	MMM-A-1058A NOT 1	ADHESIVE, RUBBER BASE, (IN PRESSURIZED DISPENSERS)[CUST: MR AS 11] [REVIEW: SH]	A	8040	*	AS	19-APR-01
M	QPL-MMM-A-132-10(4) NOT 1	ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL; METAL TO METAL	A	8040	/	AS	19-APR-01
M	QPL-MMM-A-134-11 NOT 1	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING	A	8040	/	AS	19-APR-01
M	MIL-D-6055D(1) NOT 3	DRUM, METAL REUSABLE, SHIPPING AND STORAGE (CAP. FROM 88 TO 510 CUBIC INCHES)[CUST: GL SA 11 IS] [REVIEW: 80 84 AR EA OS SH SM]	A	8110		IS	12-APR-01
M	MS24347F NOT 3	DRUMS, METAL, REUSABLE SHIPPING AND STORAGE[CUST: GL SA 11 IS] [REVIEW: 84 AR EA SM]	A	8110		IS	12-APR-01
N	MIL-DTL-3628/211	BADGE, QUALIFICATION, AVIATION, AIR BATTLE MANAGER, CHIEF, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	24-APR-01
N	MIL-DTL-3628/212	BADGE, QUALIFICATION, AVIATION, AIR BATTLE MANAGER, SENIOR, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	24-APR-01
N	MIL-DTL-3628/213	BADGE, QUALIFICATION, AVIATION, AIR BATTLE MANAGER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	24-APR-01
M	VV-P-236A(2) NOT 2	PETROLATUM, TECHNICAL[CUST: CR4 AS 11 GS] [REVIEW: AR AT CR OS PS SA SH YD]	A	9150	/	AS	19-APR-01
M	VV-D-1078B NOT 2	DAMPING FLUID, SILICONE BASE (DIMETHYL POLYSILOXANE)[CUST: CR4 AS 11] [REVIEW: 68 AR EA MC MI OS SH]	A	9150	/	AS	19-APR-01
M	QQ-A-430C(1) NOT 1	ALUMINUM ALLOY ROD AND WIRE; FOR RIVETS AND COLD HEADING[CUST: CR4 AS 11 IS] [REVIEW: AR AV EA MI MR]	A	9525	/	AS	19-APR-01

CANCELED SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	FF-B-171/16(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 10 (NO S/S DOCUMENT)[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR EA GL SH]	A	3110	/	GS4	13-APR-01
M	FF-B-171/17(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 02 (NO S/S DOCUMENT)[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR EA GL SH]	A	3110	/	GS4	13-APR-01
M	FF-B-171/18(2) NOT 1	BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 03 (NO S/S DOCUMENT)[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR EA GL SH]	A	3110	/	GS4	13-APR-01
M	QPL-FF-B-185-39 NOT 1	BEARINGS, ROLLER, CYLINDRICAL, AND BEARINGS, ROLLER, SELF-ALIGNING (NO S/S DOCUMENT)	A	3110	/	SH	10-APR-01
M	OO-P-631D NOT 2	PRESS BRAKE, POWER OPERATED, MECHANICAL, SHEET AND PLATE (NO S/S DOCUMENT)[CUST: AR SH 99 GS6] [REVIEW: 84 CR4 MC YD]	A	3441	/	GS6	16-APR-01
M	UU-P-381B NOT 2	PAPER, MASKING, PHOTOLITHOGRAPHIC, (COATED) (NO S/S DOCUMENT)[CUST: GL SA 99 GS6] [REVIEW: CR4 MD]	A	3610	/	GS6	16-APR-01
M	QPL-19067-7 NOT 1	VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS (NO S/S DOCUMENT)	A	4820		AS	02-APR-01
M	MIL-S-22885/19G NOT 1	SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SNAP-IN, T-1-3/4 MFB LAMP) (S/S BY MIL-PRF-22885/99)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5930		CC	18-APR-01
M	MIL-S-22885/22E NOT 1	SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SCREW-IN, T-1-3/4 MFB LAMP) (S/S BY MIL-PRF-22885/99)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC OS SH]	A	5930		CC	18-APR-01
M	MIL-S-22885/78A NOT 1	SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR (NO S/S DOCUMENT)[CUST: CR EC 11 CC]	A	5930		CC	18-APR-01
M	W-S-896/3B NOT 1	SWITCHES, TOGGLE HANDLE, FLUSH MOUNTED, MERCURY (AC) (NO S/S DOCUMENT)[CUST: CR YD 11 CC] [REVIEW: 99 CG SH]	A	5930	/	CC	18-APR-01
M	MIL-I-10B(4) NOT 3	INSULATING COMPOUND, ELECTRICAL, CERAMIC CLASS L (NO S/S DOCUMENT)[CUST: CR SH 11 GS] [REVIEW: AS AT AV CC MC MI OS]	A	5970		SO	25-APR-01
M	MIL-DTL-23053E SUP 1A NOT 3	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR (S/S BY SAE-AMS-DTL-23053)[CUST: CR AS 11 GS] [REVIEW: AR EA EC MC MI SH]	A	5970		AS	28-MAR-01
M	MIL-I-23053/2C(1) NOT 2	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE, CROSSLINKED AND NON-CROSSLINKED (S/S BY SAE-AMS-I-23053/2)[CUST: CR AS 11 GS] [REVIEW: EA EC MI]	A	5970		AS	28-MAR-01
M	MIL-I-23053/3A(1) NOT 2	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED (S/S BY SAE-AMS-I-23053/3)[CUST: CR AS 11 GS] [REVIEW: AR EA EC MI]	A	5970		AS	28-MAR-01
M	MIL-C-18277B(3) NOT 1	COUPLER, ANTENNA CU-351/AR AND COUPLER, ANTENNA CU-509/AR[CUST: AS CC] [REVIEW: 11]	A	5985		CC	06-APR-01
M	MIL-D-18576A NOT 1	DUMMY, LOAD, ELECTRICAL, NAVY TYPE 14ACN (NO S/S DOCUMENT)[CUST: EC CC]	A	5985		CC	06-APR-01
M	MIL-A-22212(1) NOT 1	ANTENNAS, AT-500 (*)/AP AND AT-929(*)/AP, AND ANTENNA BASE AB 117(*)/AP (NO S/S DOCUMENT)[CUST: AS CC]	A	5985		CC	06-APR-01
M	MIL-D-23973(3) NOT 1	DUMMY LOAD, ELECTRICAL, 600 WATTS D.C. TO 3000 MC (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: MC]	A	5985		CC	06-APR-01
M	MIL-S-24067(2) NOT 1	SWITCHES, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT), GENERAL SPECIFICATION (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: MI]	A	5985		CC	06-APR-01
M	MIL-S-24067/1B NOT 1	SWITCHES, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT) SINGLE POLE DOUBLE THROW, TYPE 1 (NO S/S DOCUMENT)[CUST: EC CC]	A	5985		CC	06-APR-01
M	MIL-S-24067/2B NOT 1	SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT) DOUBLE POLE, DOUBLE THROW, TYPE 2 (NO S/S DOCUMENT)[CUST: EC CC]	A	5985		CC	06-APR-01
M	MIL-A-28745A(2) NOT 1	ANTENNA ASSEMBLY, OMNIDIRECTIONAL AS-177B/UPX (NO S/S DOCUMENT)[CUST: EC CC]	A	5985		CC	06-APR-01
M	MIL-C-28806 NOT 1	COUPLER GROUP, ANTENNA, AN/URA-38() (NO S/S DOCUMENT)[CUST: EC CC]	A	5985		CC	06-APR-01
M	MIL-HDBK-1003/12 NOT 1	BOILER CONTROLS (NO S/S DOCUMENT)[CUST: YD]	A	FACR		YD	12-APR-01
M	MIL-HDBK-1006/2A(1) NOT 1	POLICY AND PROCEDURES FOR GUIDE SPECIFICATION PREPARATION (S/S BY MIL-STD-3007)[CUST: YD]	A	FACR		YD	12-APR-01
M	MIL-STD-105E NOT 2	SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES (FUTURE ACQUISITIONS SEE MIL-STD-1916)[Military Standard][CUST: AR OS 10] [REVIEW: AV CC CR CR4 EC GS MC MI SS TE YD]	A	QCIC		AR	26-MAR-01